

TECHNICAL SHEET



MJ400






Cod.: MP.0.158 US
Rev.: 1



Next Hydraulics®
RAISE YOUR EXPECTATIONS




DIMENSIONS					
CRANE	A	B	C	D	E
ML 400.2	72"	50 1/2"	18"	17"	61 1/2"
ML 400.3	72"	50 1/2"	16 1/2"	17"	61 1/2"
ML 400L.2	71"	57"	11"	16 1/2"	63"
ML 400L.3	71"	57"	9 1/2"	16 1/2"	63"
ML 400L.4	71"	58 3/4"	7 1/2"	16 1/2"	63"




CRANE	A	B	C	D	L max
ML 400.2	28"	7 7/8"	36 1/4"	21 1/2"	143"
ML 400.3	28 3/4"	9 1/2"	38 1/2"	31 1/2"	185"
ML 400L.2	26 1/2"	10 1/2"	37 1/2"	29"	173"
ML 400L.3	27"	12 1/2"	40 1/4"	43 1/4"	226"
ML 400L.4	27 1/2"	14 1/4"	41 3/4"	54"	269"


Standard control station



Control station with remote control



Oil tank







TECHNICAL DATA	U.M.	VERSION				
		ML 400.2	ML 400.3	ML 400L.2	ML 400L.3	ML 400L.4
CRANE RATING	ft lbs	30980				
STANDARD EXTENSIONS Nr (HYDRAULICS)	N°	2	3	2	3	4
STANDARD OUTREACH	ft	11' 11"	15' 5"	14' 5"	18' 10"	22' 5"
SLEWING ANGLE	°	360°				
MAXIMUM ANGLE SLOPE	°	15°				
SLEWING TORQUE	ft lbs	11800				
MAX. LIFTING HEIGHT FROM CRANE BASE	ft	15' 11"	19' 2"	18' 4"	22' 5"	24' 7"
SUGGESTED OIL FLOW	gpm	4÷4.8				
MAX. WORKING PRESSURE	p.s.i.	3335				
BASIC CRANE WEIGHT	lbs	1015	1100	1080	1190	1250


WINCH SPECIFICATIONS	U.M.	
MAX. WINCH SINGLE LINE CAPACITY (3 rd LAYER)	lbs	2200
ROPE RAISING SPEED (3 rd LAYER)	ft/min	49.2
ROPE LOWERING SPEED (3 rd LAYER)	ft/min	65.6
ROPE DIAMETER	inches	5/16"
ROPE LENGTH	ft	98' 5"
WINCH KIT WEIGHT	lbs	165

OPERATING TIMES												
SLEW. (rpm)	LIFTING (sec)	LOWER. (sec)	EXTENSION OUT (sec)					EXTENSION IN (sec)				
			400.2	400.3	400L.2	400L.3	400L.4	400.2	400.3	400L.2	400L.3	400L.4
2.3	13	11	17	22	20	31	36	10	12	12	18	21

Winch versions: Maximum lifting capacity 2200 lbs, in single pull line; outreaches unchanged.

Stabilizers: Refer to models 1 EMO/1EHO or 1 EMA/1 EHA on MAXISTAB catalogue.





Lifting class

HC1 – HD4/B3



by Next Hydraulics Via Mediterraneo n°6, 42022 Boretto (R.E.) Italy

Tel.: +39.0522.963008, Fax.: +39.0522.963039 <http://www.maxiliftcrane.com> E-mail: info@maxiliftcrane.com